



Corrigendum to “Evaluating post-glacial bedrock erosion and surface exposure duration by coupling in situ optically stimulated luminescence and ^{10}Be dating” published in Earth Surf. Dynam., 7, 633–662, 2019

Benjamin Lehmann^{1,*}, Frédéric Herman¹, Pierre G. Valla^{2,3}, Georgina E. King¹, and Rabiul H. Biswas¹

¹Institute of Earth Surface Dynamics, University of Lausanne, Lausanne, 1012, Switzerland

²University of Grenoble Alpes, University of Savoie Mont Blanc, CNRS, IRD,
IFSTTAR, ISTerre, 38000 Grenoble, France

³Institute of Geological Sciences and Oeschger Centre for Climate Change Research,
University of Bern, Bern, 3012, Switzerland

* *Invited contribution by Benjamin Lehmann, recipient of the EGU Climate: Past, Present & Future
Outstanding Student Poster and PICO Award 2016.*

Correspondence: Benjamin Lehmann (lehmann.benj@gmail.com)

Published: 23 July 2019

Due to an oversight in the publication process, an incorrect version of the reference list was published in the above-mentioned paper. Please see the updated bibliography as follows.

References

- Aitken, M. J.: Thermoluminescence dating, Academic press, 1985.
- Aitken, M. J.: An Introduction to Optical Dating The Dating of Quaternary: Sediments by the Use of Photon-stimulated Luminescence, Oxford University press, 1998.
- Anderson, R. S. and Anderson, S. P.: Geomorphology: The Mechanics and Chemistry of Landscapes, United Kingdom at the University Press, Cambridge, ISBN 9780521519786, 2010.
- Armesto-González, J., Riveiro-Rodríguez, B., González-Aguilera, D., and Rivas-Brea, M. T.: Terrestrial laser scanning intensity data applied to damage detection for historical buildings, *J. Archaeol. Sci.*, 37, 3037–3047, 2010.
- Balco, G., Stone, J. O., Lifton, N. A., and Dunai, T. J.: A complete and easily accessible means of calculating surface exposure ages or erosion rates from ^{10}Be and ^{26}Al measurements, *Quat. Geochronol.*, 3, 174–195, 2008.
- Bierman, P. R. and Nichols, K. K.: Rock to sediment-slope to sea with ^{10}Be -rates of landscape change, *Annu. Rev. Earth Planet. Sci.*, 32, 215–255, 2004.
- Bini, A., Buoncristiani, J.-F., Couterrand, S., Ellwanger, D., Felber, M., Florineth, D., Graf, H. R., Keller, O., Kelly, M., Schlüchter, C., and Schoeneich, P.: Die Schweiz während des letzteiszeitlichen Maximums (LGM), Bundesamt für Landestopografie swisstopo, 2009.
- Biswas, R. H., Herman, F., King, G. E., and Braun, J.: Thermoluminescence of feldspar as a multi-thermochronometer to constrain the temporal variation of rock exhumation in the recent past, *Earth Planet. Sc. Lett.*, 495, 56–68, 2018.
- Bøtter-Jensen, L., Thomsen, K. J., and Jain, M.: Review of optically stimulated luminescence (OSL) instrumental developments for retrospective dosimetry, *Rad. Meas.*, 45, 253–257, 2010.
- Brandmeier, M., Kuhlemann, J., Krumrei, I., Kappler, A., and Kubik, P. W.: New challenges for tafoni research, A new approach to understand processes and weathering rates, *Earth Surf. Proc. Land.*, 36, 839–852, 2011.
- Chapot, M. S., Sohbaty, R., Murray, A. S., Pederson, J. L., and Ritte-nour, T. M.: Constraining the age of rock art by dating a rockfall event using sediment and rock-surface luminescence dating techniques, *Quat. Geochronol.*, 13, 18–25, 2012.
- Champagnac, J.-D., Molnar, P., Anderson, R. S., Sue, S., and Delacou, B.: Quaternary erosion-induced isostatic rebound in the western Alps, *Geology*, 35, 195–197, 2007.
- Christl, M., Vockenhuber, C., Kubik, P. W., Wacker, L., Lachner, J., Alfimov, V., and Synal, H. A.: The ETH Zurich AMS facilities:

- performance parameters and reference materials, *Nucl. Instrum. Meth. B*, 294, 29–38, 2013.
- Claude, A., Ivy-Ochs, S., Kober, F., Antognini, M., Salcher, B., and Kubik, P. W.: The Chironico landslide (Valle Leventina, southern Swiss Alps); age and evolution, *Swiss J. Geosci.*, 107, 273–291, 2014.
- Coutterand, S. and Buoncristiani, J.-F.: Paléogéographie du dernier maximum glaciaire du Pléistocène récent de la région du massif du Mont Blanc, France, *Quaternaire, Revue de l'Association française pour l'étude du Quaternaire*, 17, 35–43, 2006.
- Coutterand, S.: Etude géomorphologique des flux glaciaires dans les Alpes nord-occidentales au Pléistocène récent: du maximum de la dernière glaciation aux premières étapes de la déglaciation, PhD thesis, Université de Savoie, 2010.
- Duffy, S., Bryan, P., Graeme, E., Beale, G., Pagi, H., and Koutoula, E.: Multi-light Imaging Techniques for heritage application: PTM Guidelines, English Heritage, UK, 2013.
- Duller, G. A. T.: Single-grain optical dating of Quaternary sediments: why aliquot size matters in luminescence dating, *Boreas*, 37, 589–612, 2008.
- Dunai, T. J.: *Cosmogenic Nuclides: Principles, concepts and applications in the Earth surface sciences*, Cambridge University Press, 2010.
- Durcan, J. A., King, G. E., and Duller, G. A. T.: DRAC: Dose Rate and Age Calculator for trapped charge dating, *Quat. Geochronol.*, 28, 54–61, 2015.
- Freiesleben, T., Sohbaty, R., Murray, A., Jain, M., Al Khasawneh, S., Hvidt, S., and Jakobsen, B.: Mathematical model quantifies multiple daylight exposure and burial events for rock surfaces using luminescence dating, *Radiat. Meas.*, 81, 16–22, 2015.
- Fuchs, M. and Owen, L. A.: Luminescence dating of glacial and associated sediments: review, recommendations and future directions, *Boreas*, 37, 636–659, 2008.
- Ganti, V., von Hagke, C., Scherler, D., Lamb, M. P., Fischer, W. W., and Avouac, J. P.: Time scale bias in erosion rates of glaciated landscapes, *Sci. Adv.*, 2, e1600204, <https://doi.org/10.1126/sciadv.1600204>, 2016.
- Gliganic, L. A., Meyer, M. C., Sohbaty, R., and Jain, M.: OSL Surface Exposure Dating of a Lithic Quarry in Tibet: Laboratory Validation and Application, *Quat. Geochronol. Special Issue related to the LED Cape Town*, 2018.
- Goss, J. C. and Phillips, F. M.: Terrestrial in situ cosmogenic nuclides: theory and application, *Quaternary Sci. Rev.*, 20, 1475–1560, 2000.
- Habermann, J., Schilles, T., Kalchgruber, R., and Wagner, G. A.: Steps towards surface dating using luminescence, *Radiat. Meas.*, 32, 847–851, 2000.
- Hall, K., Thorn, C., and Sumner, P.: On the persistence of “weathering”, *Geomorphology*, 149–150, 1–10, 2012.
- Häuselmann, P.: Surface corrosion of an alpine karren field: recent measurements at Innerbergli (Siebenhengste, Switzerland), *Int. J. Speleol.*, 37, 107–111, 2008.
- Herman, F. and Champagnac, J.-D.: Plio-Pleistocene increase in erosion rates in mountain belts in response to climate change, *Terra Nova*, 28, 2–10, 2016.
- Hippe, K.: Constraining processes of landscape change with combined in situ cosmogenic ^{14}C - ^{10}Be analysis, *Quaternary Sci. Rev.*, 173, 1–19, 2017.
- Huntley, D. J. and Lian, O. B.: Some observations on tunnelling of trapped electrons in feldspars and their implications for optical dating, *Quaternary Sci. Rev.*, 25, 2503–2512, 2006.
- Huntley, D. J., Godfrey-Smith, D. I., and Thewalt, M. L.: Optical dating of sediments, *Nature*, 313, 105–107, 1985.
- Ivy-Ochs, S.: The Dating of Rock Surfaces Using in Situ Produced ^{10}Be , ^{26}Al and ^{36}Cl , with Examples from Antarctica and the Swiss Alps (PhD thesis), ETH, Zurich, 1996.
- Ivy-Ochs, S. and Briner, J. P.: Dating disappearing ice with cosmogenic nuclides, *Elements*, 10, 351–356, 2014.
- Jenkins, G. T. H., Duller, G. A. T., Roberts, H. M., Chiverrell, R. C., and Glasser, N. F.: A new approach for luminescence dating glaciofluvial deposits – high precision optical dating of cobbles, *Quaternary Sci. Rev.*, 192, 263–273, 2018.
- Kars, R. H., Wallinga, J., and Cohen, K. M.: A new approach towards anomalous fading correction for feldspar IRSL dating-tests on samples in field saturation, *Rad. Meas.*, 43, 786–790, 2008.
- King, G., Herman, F., Lambert, R., Valla, P., and Guralnik, B.: Multi-OSL-thermochronometry of feldspar, *Quat. Geochronol.*, 33, 76–87, 2016.
- King, G. E., Burow, C., Roberts, H. M., and Pearce, N. J.: Age determination using feldspar: Evaluating fading-correction model performance, *Rad. Meas.*, 119, 58–73, 2018.
- King, G. E., Valla, P. G., and Lehmann, B.: OSL Rock Surface and Rock Surface-Exposure Dating, Invited contribution to “Handbook of Luminescence Dating”, edited by: Bateman, M. and Bailiff, I., 2019.
- Kohl, C. P. and Nishiizumi, K.: Chemical isolation of quartz for measurement of in-situ-produced cosmogenic nuclides, *Geochim. Cosmochim. Ac.*, 56, 3583–3587, 1992.
- Laj, C., Kissel, C., and Beer, J.: High resolution global Paleointensity Stack since 75 kyr (GLOPIS-75) calibrated to Absolute values, *Timescales Paleomagnetic Field, Geoph. Monog. Series*, 145, 255–265, 2004.
- Lal, D. and Peters, B.: Cosmic ray produced radioactivity on the Earth, in *Handbuch der Physik*, Springer, Berlin, XLVI, 551–612, 1967.
- Lal, D.: Cosmic ray labeling of erosion surfaces: in situ nuclide production rates and erosion models, *Earth Planet. Sc. Lett.*, 104, 424–439, 1991.
- Lehmann, B., Valla, P. G., King, G. E., and Herman, F.: Investigation of OSL surface exposure dating to reconstruct post-LIA glacier fluctuations in the French Alps (Mer de Glace, Mont Blanc massif), *Quat. Geochronol.*, 44, 63–74, 2018.
- Lifton, N. A., Sato, T., and Dunai, T. J.: Scaling in situ cosmogenic nuclide production rates using analytical approximations to atmospheric cosmic-ray fluxes, *Earth Planet. Sc. Lett.*, 386, 149–160, 2014.
- Lisiecki, L. E. and Raymo, M. E.: A Pliocene-Pleistocene stack of 57 globally distributed benthic d^{18}O records, *Paleoceanography*, 20, PA1003, <https://doi.org/10.1029/2004PA001071>, 2005.
- Liu, T. and Broecker, W. S.: Holocene rock varnish microstratigraphy and its chronometric application in the drylands of western USA, *Geomorphology*, 84, 1–21, 2007.
- Łoziński, M. W.: über die mechanische Verwitterung der Sandsteine im gemässigten Klima. *Académie des sciences de cracovie, Bulletin internationale, classe de science, mathématiques et naturelles 1*: 1–25, 1909. (English translation by Mrozek Teresa:

- On the mechanical weathering of sandstones in temperate climates, In *Cold Climate Landforms*, Evans DJA, Wiley, Chichester, 119–134, 1992).
- Martin, L. C. P., Blard, P.-H., Balco, G., Lave J., Delunel, R., Lifton, N., and Laurent V.: The CREP program and the ICE-D production rate calibration database: A fully parameterizable and updated online tool to compute cosmicray exposure ages, *Quat. Geochronol.*, 38, 25–49, 2017.
- Meyer, M. C., Gliganic, L. A., Jain, M., and Sohbat, R.: Lithological controls on light penetration into rock surfaces – implications for OSL and IRSL surface exposure dating, *LED proceedings, Radiat. Meas.*, 120, 298–304, 2018.
- Miller, K. G., Fairbanks, R. G., and Mountain, G. S.: Tertiary oxygen isotope synthesis, sea level history, and continental margin erosion, *Paleoceanography*, 2, 1–19, 1987.
- Molnar, P. and England, P.: Late Cenozoic uplift of mountain ranges and global climate change: Chicken or egg?, *Nature*, 346, 29–34, 1990.
- Morthekai, P., Jain, M., Dartnell, L., Murray, A. S., Bøtter-Jensen, L., and Desorgher, L.: Modelling of the dose-rate variations with depth in the Martian regolith using GEANT4, *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 580, 667–670, 2017.
- Moses, C., Robinson, D., and Barlow, J.: Methods for measuring rock surface weathering and erosion: A critical review, *Earth-Sci. Rev.*, 135, 141–161, 2014.
- Murray, A. S. and Wintle, A. G.: Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol, *Radiat. Meas.*, 32, 57–73, 2000.
- Nicholson, D. T.: Rock control on microweathering of bedrock surfaces in a periglacial environment, *Geomorphology*, 101, 655–665, 2008.
- Nishizumi, K., Imamura, M., Caffee, M. W., Southon, J. R., Finkel, R. C., and McAninch, J.: Absolute calibration of ^{10}Be AMS standards, *Nucl. Instrum. Meth. B*, 258, 403–413, 2007.
- Ou, X. J., Roberts, H. M., Duller, G. A. T., Gunn, M. D., and Perkins, W. T.: Attenuation of light in different rock types and implications for rock surface luminescence dating, *Radiat. Meas.*, 120, 305–311, 2018.
- Pavon-Carrasco, F. J., Osete, M. L., Torta, J. M., and De Santis, A.: A geomagnetic field model for the Holocene based on archaeomagnetic and lava flow data, *Earth Planet. Sc. Lett.*, 388, 98–109, 2014.
- Penck, A. and Brückner, E.: *Die Alpen im Eiszeitalter*, Tauchitz, Leipzig, 1901/1909.
- Polikreti, K.: Detection of ancient marble forgery: techniques and limitations, *Archaeometry*, 49, 603–619, 2007.
- Polikreti, K., Michael, C., and Maniatis, Y.: Authenticating marble sculpture with thermoluminescence, *Ancient TL*, 20, 11–18, 2002.
- Polikreti, K., Michael, C., and Maniatis, Y.: Thermoluminescence characteristics of marble and dating of freshly excavated marble objects, *Radiat. Meas.*, 37, 87–94, 2003.
- Portenga, E. W. and Bierman, P. R.: Understanding earth’s eroding surface with ^{10}Be , *GSA Today* 21, 4–10, 2011.
- Rades, E. F., Sohbat, R., Luthgens, C., Jain, M., and Murray, A. S.: First luminescence-depth profiles from boulders from moraine deposits: Insights into glaciation chronology and transport dynamics in Malta valley, Austria, *Radiat. Meas.*, 120, 281–289, 2018.
- Raymo, M. E. and Ruddiman, W. F.: Tectonic forcing of late Cenozoic climate, *Nature*, 359, 117–122, 1992.
- Rhodes, E. J.: Optically stimulated luminescence dating of sediments over the past 200,000 years, *Annu. Rev. Earth Planet. Sci.*, 39, 461–488, 2011.
- Seguinot, J., Ivy-Ochs, S., Jouvet, G., Huss, M., Funk, M., and Preusser, F.: Modelling last glacial cycle ice dynamics in the Alps, *The Cryosphere*, 12, 3265–3285, <https://doi.org/10.5194/tc-12-3265-2018>, 2018.
- Siman-Tov, S., Stock, G. M., Brodsky, E. E., and White, J. C.: The coating layer of glacial polish, *Geol. Soc. Am.*, 11, 987–990, 2017.
- Sohbat, R., Murray, A., Jain, M., Buylaert, J.-P., and Thomsen, K.: Investigating the resetting of OSL signals in rock surfaces, *Geochronometria*, 38, 249–258, 2011.
- Sohbat, R., Jain, M., and Murray, A.: Surface exposure dating of non-terrestrial bodies using optically stimulated luminescence: A new method, *Icarus*, 221, 160–166, 2012a.
- Sohbat, R., Murray, A. S., Buylaert, J.-P., Almeida, N. A. C., and Cunha, P. P.: Optically stimulated luminescence (OSL) dating of quartzite cobbles from the Tapada do Montinho archaeological site (east-central Portugal), *Boreas*, 41, 452–462, 2012b.
- Sohbat, R., Murray, A. S., Chapot, M. S., Jain, M., and Pederson, J.: Optically stimulated luminescence (OSL) as a chronometer for surface exposure dating, *J. Geophys. Res.*, 117, B09202, <https://doi.org/10.1029/2012JB009383>, 2012c.
- Sohbat, R., Murray, A. S., Porat, N., Jain, M., and Avner, U.: Age of a prehistoric “Rodedian” cult site constrained by sediment and rock surface luminescence dating techniques, *Quat. Geochronol.*, 30, 90–99, 2015.
- Sohbat, R., Liu, J., Jain, M., Murray, A., Egholm, D., Paris, R., and Guralnik, B.: Centennial-to millennial-scale hard rock erosion rates deduced from luminescence-depth profiles, *Earth Planet. Sc. Lett.*, 493, 218–230, 2018.
- Stephenson, W. J. and Finlayson, B. L.: Measuring erosion with the microerosion meter—contributions to understanding landform evolution, *Earth-Sci. Rev.*, 95, 53–62, 2009.
- Tachiya, M. and Mozumder, A.: Decay of trapped electronics by tunnelling to scavenger molecules in low-temperature glasses, *Chem. Phys. Lett.*, 28, 87–89, 1974.
- Uppala, S. M., Kallberg, P. W., Simmons, A. J., Andrae, U., Bechtold, V. D. C., Fiorino, M., Gibson, J. K., Haseler, J., Hernandez, A., Kelly, G. A., Li, X., Onogi, K., Saarinen, S., Sokka, N., Allan, R. P., Andersson, E., Arpe, K., Balmaseda, M. A., Beljaars, A. C. M., Van De Berg, L., Bidlot, J., Bormann, N., Caires, S., Chevallier, F., Dethof, A., Dragosavac, M., Fisher, M., Fuentes, M., Hagemann, S., Holm, E., Hoskins, B. J., Isaksen, I., Janssen, P. A. E. M., Jenne, R., McNally, A. P., Mahfouf, J.-F., Morcrette, J.-J., Rayner, N. A., Saunders, R. W., Simon, P., Sterl, A., Trenberth, K. E., Untch, A., Vasiljevic, D., Viterbo, P., and Woollen, J.: The ERA-40 re-analysis, *Q. J. Royal Meteor. Soc.*, 131, 2961–3012, 2005.
- Vafiadou, A., Murray, A., and Liritzis, I.: Optically stimulated luminescence (OSL) dating investigations of rock and underlying soil from three case studies, *J. Archaeol. Sci.*, 34, 1659–1669, 2007.
- Valla, P. G., Lowick, S. E., Herman, F., Champagnac, J.-D., Steer, P., and Guralnik, B.: Exploring IRSL50 fading variability in bedrock

- feldspars and implications for OSL thermochronometry, *Quat. Geochronol.*, 36, 55–66, 2016.
- Vincent, C., Harter, M., Gilbert, A., Berthier, E., and Six, D.: Future fluctuations of Mer de Glace, French Alps, assessed using a parameterized model calibrated with past thickness changes, *Ann. Glaciol.*, 55, 15–24, 2014.
- Visocekas, R., Tale, V., Zink, A., and Tale, I.: Trap spectroscopy and tunnelling luminescence in feldspars, *Rad. Meas.*, 29, 427–434, 1998.
- Wallinga, J., Murray, A., and Wintle, A.: The single-aliquot regenerative-dose (SAR) protocol applied to coarse-grain feldspar, *Radiat. Meas.*, 32, 529–533, 2000.
- Wintle, A. G.: Anomalous fading of thermo-luminescence in mineral samples, *Nature*, 245, 143–144, 1973.
- Wintle, A. G. and Murray, A. S.: A review of quartz optically stimulated luminescence characteristics and their relevance in single-aliquot regeneration dating protocols, *Rad. Meas.*, 41, 369–391, 2000.
- Zachos, J. C., Pagani, M., Sloan, L., Thomas, E., and Billups, K.: Trends, rhythms, and aberrations in global climate 65 Ma to present, *Science*, 292, 686–693, 2001.